



Thank you for choosing Wirko Cabinetry. We are committed to delivering a superior product at a highly competitive rate. We assure you that all Wirko items are guaranteed for a duration of one year from the project installation completion date, ensuring they are free from any material or manufacturing defects. Within this period, we commit to replacing any faulty portion of our work at no cost to the owner.

Although Wirko provides a one-year guarantee for the structural integrity of our products, certain exceptions do exist:

- *Given the natural variations in wood, we cannot assure uniformity in color, tone, or grain pattern. Additionally, we cannot guarantee that stain or finish colors will be entirely consistent due to the inherent variations in pigments and materials.*
- *Normal wood product changes, like hairline cracks or visible joint separations due to environmental conditions, are considered typical and are not covered.*
- *Damages resulting from standard wear and tear, misuse, neglect, abuse, alterations, exposure to water, or other environmental factors like extreme temperatures or humidity are not included.*
- *Damage resulting from prolonged exposure to excessive heat sources is not covered.*
- *Work performed by external parties, such as cabinet refinishing or removal, is not within the scope of this warranty.*
- *Thermofoil cabinets installed without protection from extreme heat sources are excluded.*
- *The use of heat shields, fillers, and overlays is recommended to safeguard cabinets near heat-emitting appliances.*
- *Touch-ups, door and drawer adjustments, or cosmetic enhancements are not covered.*
- *Color variations due to natural wood aging or exposure to either natural or artificial light are not covered.*
- *Discoloration or loss of luster in the finish or wood stain resulting from exposure to ultraviolet light is not covered.*
- *Minor hairline cracks on painted products that may become visible at connecting joints are not included. Please refer to the painted product disclosure.*

Wirko will have the final say on any warranty-related matters. In the event of a materials or workmanship defect, excluding those mentioned earlier, Wirko reserves the right to repair or replace the product at our discretion.

PRODUCT DISCLOSURE*Painted Finishes on Wood Cabinetry Features*

Wirko diligently strives to offer a top-quality product at a highly competitive rate. We carefully choose the finest cabinet material suitable for crafting a finished cabinet that meets both our customers' needs and KCMA testing standards. Our precision machining, meticulous assembly, and refined finishing processes synergize to deliver the utmost performance and aesthetics, meeting the high expectations of our customers and their end users. Our finishing materials and application techniques undergo thorough and consistent testing and inspection to ensure top-notch quality and uniformity using state-of-the-art technology.

Wood, irrespective of the species, is hygroscopic, meaning it is affected by the humidity and temperature of its surroundings. It will naturally lose or absorb moisture, causing it to contract or expand based on the environmental conditions. Even with protective coatings, this movement cannot be entirely prevented; coatings can only slow down the process.

Once the final product is painted, the opaque colored paints and glazes conceal the seams on assembled wood components. However, owing to the inherent and unpredictable variations in wood beyond Wirko's control, we cannot guarantee that these connecting joints will always remain concealed by the paint. The wood components contract or expand accordingly, occasionally leading to the visibility of joints in the form of small hairline cracks where the components are joined during assembly. This occurrence is natural and can be minimized by maintaining a stable environment. It's important to note that these hairline cracks do not compromise the strength and integrity of the door. Given that this is a natural phenomenon, Wirko cannot assume responsibility for the inherent properties of wood and wood products, particularly hairline cracks that manifest due to environmental shifts.

CUSTOMER ACKNOWLEDGMENT*Please Read And Sign The following statement*

I have thoroughly read the statement above and acknowledge the inherent traits of painted wood cabinetry as outlined. By signing below, I affirm my understanding and acceptance that these occurrences are natural and do not qualify as defects or warranty matters.

Customer Name: _____ Date: _____

Customer Signature: _____ Title: _____

CABINET CARE INSTRUCTIONS

Maintaining and Preserving Your Cabinet's Appeal

Typically, a gentle cotton cloth moistened with warm water is sufficient for cleaning your cabinets. If a more extensive cleaning is needed, opt for one of the subsequent cleaning options:

- *A blend of dishwashing liquid and warm water*
- *A mild, all-purpose cleaner devoid of ammonia, silicone, or acid.*

Using the gentlest cleaning solution will effectively clean your cabinets. Stronger products have the potential to harm or discolor your cabinet finish, and we do not recommend their usage. After cleaning, thoroughly wipe all surfaces with a clean, damp cloth. Promptly dry using another soft, clean cloth.

ADDRESSING SPILLS

- *Handle spills promptly.*
- *Prolonged exposure to spills, including food, water, liquids, or grease, may result in permanent discoloration or damage to your cabinet's finish.*

CLEANING PRODUCTS TO AVOID

- *Harsh chemicals like ammonia and bleach.*
- *Abrasive cleaning agents such as scouring powders for tubs and sinks, scouring pads, or steel wool.*
- *Sponges or dishcloths, which may have particles capable of scratching your cabinets or contain food and oil residues.*
- *Cleaning products based on solvents or petroleum, such as mineral spirits, nail polish removers, or paint thinners.*
- *Cleaning, waxing, or polishing products containing silicone.*

REGULAR DUSTING

- *Opt for a clean, soft, lint-free cotton cloth for routine dusting.*
- *The use of pre-moistened dusting sheets or aerosol products designated for dusting is not necessary and is not recommended.*

WAXING AND POLISHING

- *Waxing is neither required nor recommended.*
- *Accumulation of waxing and polishing substances on your cabinet's surface can lead to a hazy, streaky, or yellowed appearance over time.*